ELSEVIER

International Journal of Mass Spectrometry 195/196 (2000) 699–700

International Journal of Mass Spectrometry

Author index

Adams, N.G., 185
Aeschleman, J.A., 215
Amunugama, R., 439
Anders, M.W., 203
Armentrout, P.B., 149
Arnold, S.T., 327
Asano, K.G., 419
Aschi, M., 1
Attinà, M., 1
Audier, H.E., 385

Babcock, L.M., 185
Bache-Andreassen, L., 171
Barlow, S.E., 625
Barrow, M.P., 599
Bartmess, J.E., 215
Baschky, M.C., 411
Bierbaum, V.M., 625
Blanksby, S.J., 45
Böhme, D.K., 393, 401
Bouchoux, G., 225, 239
Bowers, M.T., 685
Bowie, J.H., 45
Breton, S., 139
Brüning, F., 507
Burgers, P.C., 85
Byrd, M., 285

Cacace, F., 1
Cancilla, M.T., 259
Cao, J., 525
Carretas, J.M., 139
Cartoni, A., 1
Chamot-Rooke, J., 385
Chen, P., 377
Chen, Y.-M., 149
Chew, F., 251
Choret, N., 225
Cooks, R.G., 667
Czira, G., 599

Dang, T.T., 625
Daoust-Maleval, I., 121
de Koning, L.J., 115
de Matos, A.P., 139
Deakyne, C.A., 215
Dearden, D.V., 639
Decker, B.K., 185
DePuy, C.H., 625
Dotan, I., 327
Drader, J.J., 591
Drewello, T., 599
Dua, S., 45

El-Bahraoui, J., 351
Ervin, K.M., 275

Feichtinger, D., 351
Fell, L.M., 71, 85
Feng, W.Y., 251
Filippi, A., 21
Fisher, J.J., 491
Flammang, R., 225, 239
Foley, W.M., 517
Freitas, M.A., 591
Futrell, J., 285

Gerbaux, P., 239
Géribaldi, S., 139
Gevrey, S., 545
Gill, A.C., 685
Grandinetti, F., 21
Grimsrud, E.P., 481
Gronert, S., 251, 303
Grützmacher, H.-F., 533

Hammerum, S., 459
Hargus, M.D., 517
Harrison, A.G., 33
Haynes, C.L., 149
Hendrickson, C.L., 591
Henriksen, J., 459
Henriksen, T., 459
Hinderling, C., 377
Holmes, J.L., 525
Hopkinson, A.C., 393
Hoppilliard, Y., 565

Illenberger, E., 507
Iyer, R.A., 203

Jennings, K.R., 685

Kass, S.R., 411
Kato, S., 625
Kenttämaa, H.I., 609
Kerr, D.M., 517
Knighton, W.B., 481, 517
Koster, G., 11
Koyanagi, G.K., 491

Langer, J., 507
Laskin, J., 285
Lavorato, D.J., 71
Lebrilla, C.B., 259
Leopold, D.G., 653
Lifshitz, C., 11
Luna, A., 545
Luu, N.C., 203

Marçalo, J., 139
Marchandé, N., 139
Marcy, T.P., 653
Marshall, A.G., 591
McGibbon, G.A., 71
McLuckey, S.A., 419
McMahon, T.B., 491
McSweeney, S.A., 517
Midey, A.J., 327
Milburn, R.K., 393
Miller, A.E.S., 341
Miller, T.M., 341, 517
Möder, M., 599
Morgon, N.H., 363
Morizur, J.-P., 545
Morris, R.A., 327, 341, 517
Mourgues, P., 385

Nibbering, N.M.M., 115
Nikolaev, E.N., 467
Nixdorf, A., 533
Nüchter, M., 599

Occhiucci, G., 21
O'Hair, R.A.J., 303
Ohanessian, G., 565
Ondruschka, B., 599

Paulson, J.F., 341
Penn, S.G., 259
Pepi, F., 1
Pittman, J.L., 215
Plattner, D.A., 351
Polášek, M., 101
Pope, R.M., 639

Reichert, E.L., 55
Ridge, D.P., 203
Riveros, J.M., 363
Rodgers, M.T., 439
Rogalewicz, F., 565
Ruttink, P.J.A., 85

Sadílek, M., 101
Salpin, J.-Y., 239
Schaaff, T.G., 419
Schwarz, H., 71
Sen, S., 71
Shen, N., 639
Shi, S.D.-H., 591
Sievers, M.R., 149
Sinnige, C.G., 115
Sølling, T.I., 459
Somogyi, Á., 467
Speranza, M., 21
Steiner, V., 121
Stephenson, J.L., Jr., 419
Stumpf, C.L., 609
Sun, J., 401

Tabet, J.-C., 121
Taphanel, M.-H., 545
Tegeder, P., 507
Terlouw, J.K., 71, 85
Tortajada, J., 545
Trikoupis, M.A., 85
Tsaprailis, G., 467
Tu, Y.-P., 33
Tureček, F., 101

Uggerud, E., 171

van der Rest, G., 385
Van Doren, J.M., 517
Vékey, K., 599
Viggiano, A.A., 327, 341, 517

We, W., 251
Weisshaar, J.C., 55
Wenthold, P.G., 319
Wiest, O., 351
Williams, S., 327
Williamson, D.H., 481
Wysocki, V.H., 467
Wyttenbach, T., 685

Xavier, L.A., 363

Yi, S.S., 55
Yu, Y.-Q., 609

Zhang, D., 667

ELSEVIER

International Journal of Mass Spectrometry 195/196 (2000) 701–710

Subject index

Ab initio calculations
Ab initio insights into amide bond cleavage reactions of formamide with substituted methyl cations XCH_2^+ (X = OH, F, and Cl), 303
Dissociation chemistry of the hydrogen-bridged radical cation $[CH_2{=}O \cdots H \cdots O{=}C{-}OCH_3]^{\cdot+}$: proton transport catalysis and charge transfer, 85
Fragmentation mechanisms of α-amino acids protonated under electrospray ionization: a collisional activation and ab initio theoretical study, 565
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Methyl loss from conventional and distonic isomers of $C_3H_7N^{\cdot+1}$, 459
Acetophenone radical cation
Two different pathways for unimolecular and for catalyzed keto-enol isomerization of ionized acetophenone, 385
Acidity
The gas phase acid/base properties of 1,3-dimethyluracil, 1-methyl-2-pyridone, and 1-methyl-4-pyridone: relevance to the mechanism of orotidine-5′-monophosphate decarboxylase, 251
The temperature dependence of absolute gas phase acidities, 215
Addition-elimination
Formation and structural discrimination of stable halophenylium ions in the gas phase, 21
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Alkali metal ions
Absolute alkali metal ion binding affinities of several azines determined by threshold collision-induced dissociation and ab initio theory, 439
Alkaline earth
Fundamental factors controlling the exchange of multidentate ligands: displacement of 12-crown-4 and triglyme from complexes with divalent alkaline earth cations, 639
Alkene radical cations
Reaction of radical cations of 1,1-dihaloethenes with ammonia: substitution and base catalyzed tautomerization in sequence, 533
Alkoxide reactions
Fourier-transform ion cyclotron resonance mass spectrometric studies of elimination reactions of anionic bases with metabolites of a fluorinated anesthetic agent: towards modeling bioactivation in the gas phase, 203
Amide bond cleavage
Ab initio insights into amide bond cleavage reactions of formamide with substituted methyl cations XCH_2^+ (X = OH, F, and Cl), 303
Amines
The proton affinities of amin-alkanes. A test case for the kinetic method, 525
Amino acids
Fragmentation mechanisms of α-amino acids protonated under electrospray ionization: a collisional activation and ab initio theoretical study, 565
Anionic ion-molecule reactions
Fourier-transform ion cyclotron resonance mass spectrometric studies of elimination reactions of anionic bases with metabolites of a fluorinated anesthetic agent: towards modeling bioactivation in the gas phase, 203
Anions and neutrals
Conversion of neutral C_2COC_2 to C_4CO. Potential interstellar molecules, 45
Arginine
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Arylium ions
Formation and structural discrimination of stable halophenylium ions in the gas phase, 21
Aspartic acid
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Azines
Absolute alkali metal ion binding affinities of several azines determined by threshold collision-induced dissociation and ab initio theory, 439

Azulene
Effect of buffer gas alterations on the thermal electron attachment and detachment reactions of azulene by pulsed high pressure mass spectrometry, 481

Binding affinities
Absolute alkali metal ion binding affinities of several azines determined by threshold collision-induced dissociation and ab initio theory, 439
Biopolymers
Conformations of biopolymers in the gas phase: a new mass spectrometric method, 685
Bond activation
Activation of CH_4, C_2H_6, and C_3H_8 by gas-phase Nb^+ and the thermochemistry of Nb-ligand complexes, 149
Bond dissociation energy
Activation of CH_4, C_2H_6, and C_3H_8 by gas-phase Nb^+ and the thermochemistry of Nb-ligand complexes, 149
The temperature dependence of absolute gas phase acidities, 215
Bromobenzene
Internal energy distributions resulting from sustained off-resonance excitation in FTMS. I. Fragmentation of the bromobenzene radical cation, 285

Catalyzed H-transport
Two different pathways for unimolecular and for catalyzed keto-enol isomerization of ionized acetophenone, 385
CBS-RAD
Methyl loss from conventional and distonic isomers of $C_3H_7N^{\cdot+1}$, 459
$C_2H_7^+$
The $C_2H_7^+$ potential energy surface: a Fourier transform ion cyclotron resonance investigation of the reaction of methyl cation with methane, 491
$C_{60}H_{36}$
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Chemical ionization of alkylanilines
Site of protonation of N-alkylanilines, 33
$[C_3H_6]^{\cdot+}$
Dehydration of ionized propanol in the gas phase, 225
$ClPCl^+$
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609
Clusters
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
CN substituents
Small-ring carbenes carrying a positive charge: the effects of substituting by CN in c-$C_4H_3^+$, 393
Coalescence
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Collision activation
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Collisional mass spectrometry
Dehydration of ionized propanol in the gas phase, 225
Collision cross sections
Conformations of biopolymers in the gas phase: a new mass spectrometric method, 685
Collision-induced dissociation (CID)
Absolute alkali metal ion binding affinities of several azines determined by threshold collision-induced dissociation and ab initio theory, 439
An electrospray ionization flow tube study of the protonated betaine/ammonia complex, 11
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Combinational screening
Mass spectrometric assay of polymerization catalysts for combinational screening, 377
Combustion
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Computational Ge chemistry
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
Conformation
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Crossed-beam technique
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55
Crown ether
Fundamental factors controlling the exchange of multidentate ligands: displacement of 12-crown-4 and triglyme from complexes with divalent alkaline earth cations, 639
Cysteine S conjugates
Fourier-transform ion cyclotron resonance mass spectrometric studies of elimination reactions of anionic bases with metabolites of a fluorinated anesthetic agent: towards modeling bioactivation in the gas phase, 203

Decarbonylation
Dissociation chemistry of the hydrogen-bridged radical cation $[CH_2{=}O \cdots H \cdots O{=}C{-}OCH_3]^{\cdot+}$: proton transport catalysis and charge transfer, 85
Identifying ylide ions and methyl migrations in the gas phase: the decarbonylation reactions of simple ionized N-heterocycles, 71

Dehydration mechanism
Dehydration of ionized propanol in the gas phase, 225
Density functional calculations
Identifying ylide ions and methyl migrations in the gas phase: the decarbonylation reactions of simple ionized N-heterocycles, 71
Density functional theory
A computational study of the hydride affinities of Group I and Group II metals, 319
Derivatised C_4 cations
Small-ring carbenes carrying a positive charge: the effects of substituting by CN in c-$C_4H_3^+$, 393
Desorption
Low energy (0−14 eV) electron impact to CHF_2Cl at different phase conditions: medium enhanced desorption of anions, 507
Deuterium isotope effects
Gas-phase association reactions of hydroxide, methoxide, ethoxide, and their deuterated analogs, 625
DFT calculations
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1
Experimental and theoretical studies of the gas-phase reactivity of the $(HO)_2P{=}O^+$ phosphonium ions towards methanol, 545
1,2-Dichlorohexafluoropentene
Competition between nondissociative and dissociative electron attachment to halogenated cyclic alkenes in the gas phase, 517
1,2-Dichlorooctafluorocyclohexene
Competition between nondissociative and dissociative electron attachment to halogenated cyclic alkenes in the gas phase, 517
Diethyl ether
Temperature and pressure effects on the elimination reactions of diethyl ether with hydroxide and amide ions, 411
Dimethyloxalate
Dissociation chemistry of the hydrogen-bridged radical cation $[CH_2{=}O \cdots H \cdots O{=}C{-}OCH_3]^{\cdot+}$: proton transport catalysis and charge transfer, 85
Dipeptide
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609
Dissociative attachment
Low energy (0−14 eV) electron impact to CHF_2Cl at different phase conditions: medium enhanced desorption of anions, 507
Disulfane
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Double-well potential model
Gas-phase association reactions of hydroxide, methoxide, ethoxide, and their deuterated analogs, 625
Doubly charged clusters
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667

Electron attachment
Competition between nondissociative and dissociative electron attachment to halogenated cyclic alkenes in the gas phase, 517
Effect of buffer gas alterations on the thermal electron attachment and detachment reactions of azulene by pulsed high pressure mass spectrometry, 481
Electron affinity
The temperature dependence of absolute gas phase acidities, 215
Electron capture
Effect of buffer gas alterations on the thermal electron attachment and detachment reactions of azulene by pulsed high pressure mass spectrometry, 481
Electron transfer
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^+, 401
Electrospray ionization (ESI)
An electrospray ionization flow tube study of the protonated betaine/ammonia complex, 11
Coordination chemistry of manganese-salen complexes studied by electrospray tandem mass spectrometry: the significance of axial ligands, 351
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
Fragmentation mechanisms of α-amino acids protonated under electrospray ionization: a collisional activation and ab initio theoretical study, 565
Elimination reactions
Fourier-transform ion cyclotron resonance mass spectrometric studies of elimination reactions of anionic bases with metabolites of a fluorinated anesthetic agent: towards modeling bioactivation in the gas phase, 203
Temperature and pressure effects on the elimination reactions of diethyl ether with hydroxide and amide ions, 411
Energy deposition function
Internal energy distributions resulting from sustained off-resonance excitation in FTMS. I. Fragmentation of the bromobenzene radical cation, 285
Enhanced cleavages
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467

Epoxidation catalysts
Coordination chemistry of manganese-salen complexes studied by electrospray tandem mass spectrometry: the significance of axial ligands, 351

Flowing afterglow
Temperature and pressure effects on the elimination reactions of diethyl ether with hydroxide and amide ions, 411
Flowing afterglow Langmuir probe
Competition between nondissociative and dissociative electron attachment to halogenated cyclic alkenes in the gas phase, 517
Flow tube
An electrospray ionization flow tube study of the protonated betaine/ammonia complex, 11
Fluoride affinity
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
Formamide
Ab initio insights into amide bond cleavage reactions of formamide with substituted methyl cations XCH_2^+ (X = OH, F, and Cl), 303
Fourier transform ion cyclotron resonance (FTICR)
The $C_2H_7^+$ potential energy surface: a Fourier transform ion cyclotron resonance investigation of the reaction of methyl cation with methane, 491
Fundamental factors controlling the exchange of multidentate ligands: displacement of 12-crown-4 and triglyme from complexes with divalent alkaline earth cations, 639
Gas-phase fragmentation of di- and tripeptides via ion–molecule reactions with $ClPCl^+$, 609
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Reaction of radical cations of 1,1-dihaloethenes with ammonia: substitution and base catalyzed tautomerization in sequence, 533
Water molecule assisted proton mobility in gaseous protonated GlyPro and ProGly, 115
Fourier transform ion cyclotron resonance mass spectrometry (FTICR/MS)
Comparison and interconversion of the two most common frequency-to-mass calibration functions for Fourier transform ion cyclotron resonance mass spectrometry, 591
Fourier-transform ion cyclotron resonance mass spectrometric studies of elimination reactions of anionic bases with metabolites of a fluorinated anesthetic agent: towards modeling bioactivation in the gas phase, 203
Gas phase reactivity of rare earth metal cations with trialkylorthoformates: synthesis of neutral rare earth alkoxides, 139
Fragmentation
Fragmentation mechanisms of α-amino acids protonated under electrospray ionization: a collisional activation and ab initio theoretical study, 565
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Fullerene ions
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^+, 401

Gas-phase
Conformations of biopolymers in the gas phase: a new mass spectrometric method, 685
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609
Gas phase reactivity of rare earth metal cations with trialkylorthoformates: synthesis of neutral rare earth alkoxides, 139
Gas-phase chemistry
Formation and structural discrimination of stable halophenylium ions in the gas phase, 21
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1
Gas-phase enthalpy
The temperature dependence of absolute gas phase acidities, 215
Gas-phase ion chemistry
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55
Gas phase isomerization
Two different pathways for unimolecular and for catalyzed keto-enol isomerization of ionized acetophenone, 385
Gas-phase nucleophilic reactions
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
Germanium methoxide
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
Germyl anions
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
GlyPro
Water molecule assisted proton mobility in gaseous protonated GlyPro and ProGly, 115
G2(MP2)
Methyl loss from conventional and distonic isomers of $C_3H_7N^{\cdot+1}$, 459

G2(MP2,SVP) calculations
Dehydration of ionized propanol in the gas phase, 225
Guided ion beams
Absolute alkali metal ion binding affinities of several azines determined by threshold collision-induced dissociation and ab initio theory, 439

H/D exchange
An electrospray ionization flow tube study of the protonated betaine/ammonia complex, 11
Water molecule assisted proton mobility in gaseous protonated GlyPro and ProGly, 115
Heats of formation
Methyl loss from conventional and distonic isomers of $C_3H_7N^{\cdot+1}$, 459
High temperature
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Homoaromaticity
Small-ring carbenes carrying a positive charge: the effects of substituting by CN in c-$C_4H_3^+$, 393
HOSO radical
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
HSO radical
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Hydride affinities
A computational study of the hydride affinities of Group I and Group II metals, 319
Hydride ion transfer
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Hydride reductions
A computational study of the hydride affinities of Group I and Group II metals, 319
Hydrogenated fullerenes
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Hydroxide and alkoxide
Gas-phase association reactions of hydroxide, methoxide, ethoxide, and their deuterated analogs, 625
Hydroxide ion transfer
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185

Imines
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Interstellar chemistry
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Ion-association reactions
Gas-phase association reactions of hydroxide, methoxide, ethoxide, and their deuterated analogs, 625
Ion chemistry
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Ion cyclotron resonance
Comparison and interconversion of the two most common frequency-to-mass calibration functions for Fourier transform ion cyclotron resonance mass spectrometry, 591
Ion/ion proton transfer
Ion trap collisional activation of protonated poly(propylene imine) dendrimers: generations 1–5, 419
Ion-molecule reaction
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55
Dehydration of ionized propanol in the gas phase, 225
Experimental and theoretical studies of the gas-phase reactivity of the $(HO)_2P{=}O^+$ phosphonium ions towards methanol, 545
Formation and structural discrimination of stable halophenylium ions in the gas phase, 21
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Reaction of radical cations of 1,1-dihaloethenes with ammonia: substitution and base catalyzed tautomerization in sequence, 533
Study of gas-phase reactivity of positive and negative even-electron ions prepared from diethylmethylphosphonate ester in an external chemical ionization source of orthogonal tandem quadrupole/ion trap instrument, 121
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Water molecule assisted proton mobility in gaseous protonated GlyPro and ProGly, 115
Ion-neutral complexes
Dissociation chemistry of the hydrogen-bridged radical cation $[CH_2{=}O \cdots H \cdots O{=}C{-}OCH_3]^{\cdot+}$: proton transport catalysis and charge transfer, 85
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1

Ion trap collisional activation
Ion trap collisional activation of protonated poly(propylene imine) dendrimers: generations 1–5, 419
Ion trap mass spectrometer
Study of gas-phase reactivity of positive and negative even-electron ions prepared from diethylmethylphosphonate ester in an external chemical ionization source of orthogonal tandem quadrupole/ion trap instrument, 121
Iron carbonyl
Methyl bonding to Fe and $Fe(CO)_n$: reactions of Fe^- and $Fe(CO)_n^-$ with methyl halides, 341
Iron-methyl bond energies
Methyl bonding to Fe and $Fe(CO)_n$: reactions of Fe^- and $Fe(CO)_n^-$ with methyl halides, 341
Isomers at C_5O
Conversion of neutral C_2COC_2 to C_4CO. Potential interstellar molecules, 45
Isonitrosomethane
High-energy [C,H_3,N,O] cation radicals and molecules, 101
Isotope effects
Temperature and pressure effects on the elimination reactions of diethyl ether with hydroxide and amide ions, 411

Keto-enol tautomerism
Two different pathways for unimolecular and for catalyzed keto-enol isomerization of ionized acetophenone, 385
Kinetic method
Microcanonical analysis of the kinetic method. The meaning of the ''effective temperature,'' 271
The proton affinities of amin-alkanes. A test case for the kinetic method, 525
Kinetics
Competition between nondissociative and dissociative electron attachment to halogenated cyclic alkenes in the gas phase, 517
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Temperature and pressure effects on the elimination reactions of diethyl ether with hydroxide and amide ions, 411

Laser desorption/ionization
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Ligand exchange
Fundamental factors controlling the exchange of multidentate ligands: displacement of 12-crown-4 and triglyme from complexes with divalent alkaline earth cations, 639
Low energy CID
Site of protonation of N-alkylanilines, 33

Magic numbers
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
Mass spectrometric assay
Mass spectrometric assay of polymerization catalysts for combinational screening, 377
Mass spectrometry
Conformations of biopolymers in the gas phase: a new mass spectrometric method, 685
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1
Metal cluster
A vibrationally resolved negative ion photoelectron spectrum of Nb_8, 653
Metal ions
A computational study of the hydride affinities of Group I and Group II metals, 319
A vibrationally resolved negative ion photoelectron spectrum of Nb_8, 653
Metals
Fragmentation behavior of multiple-metal-coordinated acidic oligosaccharides studied by matrix-assisted laser desorption ionization Fourier transform mass spectrometry, 259
Metastable ions
Methyl loss from conventional and distonic isomers of $C_3H_7N^{\cdot+1}$, 459
Methylation of methane
The $C_2H_7^+$ potential energy surface: a Fourier transform ion cyclotron resonance investigation of the reaction of methyl cation with methane, 491
Methyl halides
Formation and structural discrimination of stable halophenylium ions in the gas phase, 21
Microcanonical kinetic rate theory
Microcanonical analysis of the kinetic method. The meaning of the ''effective temperature,'' 271
Molecular dynamics
Fundamental factors controlling the exchange of multidentate ligands: displacement of 12-crown-4 and triglyme from complexes with divalent alkaline earth cations, 639
MS/MS
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
Multiple collisions
Internal energy distributions resulting from sustained off-resonance excitation in FTMS. I. Fragmentation of the bromobenzene radical cation, 285

N-alkylanilines
Site of protonation of N-alkylanilines, 33
Naphthalene
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Negative ion-molecule reactions
Methyl bonding to Fe and $Fe(CO)_n$: reactions of Fe^- and $Fe(CO)_n^-$ with methyl halides, 341
Negative ions
Low energy (0−14 eV) electron impact to CHF_2Cl at different phase conditions: medium enhanced desorption of anions, 507
Neutralization reionization
High-energy [C,H_3,N,O] cation radicals and molecules, 101
Identifying ylide ions and methyl migrations in the gas phase: the decarbonylation reactions of simple ionized N-heterocycles, 71
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Niobium
Activation of CH_4, C_2H_6, and C_3H_8 by gas-phase Nb^+ and the thermochemistry of Nb-ligand complexes, 149
Niobium clusters
A vibrationally resolved negative ion photoelectron spectrum of Nb_8, 653
Nitrosomethane
High-energy [C,H_3,N,O] cation radicals and molecules, 101
Nucleophilic addition
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^+, 401
Nucleophilic substitution
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171
Reaction of radical cations of 1,1-dihaloethenes with ammonia: substitution and base catalyzed tautomerization in sequence, 533

Oligosaccharide
Fragmentation behavior of multiple-metal-coordinated acidic oligosaccharides studied by matrix-assisted laser desorption ionization Fourier transform mass spectrometry, 259
Oxonium ions
Mechanisms of reactions between ammonia and methylene oxonium ions: immonium ion formation versus transfer of the oxygen substituent, 171

Penning trap
Comparison and interconversion of the two most common frequency-to-mass calibration functions for Fourier transform ion cyclotron resonance mass spectrometry, 591
Pentacoordinated Ge anions
Gas-phase nucleophilic reactions of $Ge(OCH_3)_4$: experimental and computational characterization of pentacoordinated Ge anions, 363
Peptides
Gas-phase fragmentation of di- and tripeptides via ion–molecule reactions with $ClPCl^+$, 609
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Peroxides
A mass spectrometric and computational study of gaseous peroxynitric acid and $(HOONO_2)H^+$ protomers, 1
Phosphenium ions
Gas-phase fragmentation of di- and tripeptides via ion–molecule reactions with $ClPCl^+$, 609
Phosphorus ions
Experimental and theoretical studies of the gas-phase reactivity of the $(HO)_2P{=}O^+$ phosphonium ions towards methanol, 545
Photoelectron spectroscopy
A vibrationally resolved negative ion photoelectron spectrum of Nb_8, 653
Piperidine
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^+, 401
Polymerization catalysts
Mass spectrometric assay of polymerization catalysts for combinational screening, 377
Poly(propylene imine) dendrimer
Ion trap collisional activation of protonated poly(propylene imine) dendrimers: generations 1–5, 419
ProGly
Water molecule assisted proton mobility in gaseous protonated GlyPro and ProGly, 115
Propanol$^{\cdot+}$
Dehydration of ionized propanol in the gas phase, 225
Proton affinity (PA)
The gas phase acid/base properties of 1,3-dimethyluracil, 1-methyl-2-pyridone, and 1-methyl-4-pyridone: relevance to the mechanism of orotidine-5′-monophosphate decarboxylase, 251
Experimental and theoretical studies of the gas-phase reactivity of the $(HO)_2P{=}O^+$ phosphonium ions towards methanol, 545
The proton affinities of amin-alkanes. A test case for the kinetic method, 525
Protonation site
Site of protonation of N-alkylanilines, 33

Proton-bound dimers
Microcanonical analysis of the kinetic method. The meaning of the "effective temperature," 271
Pyridone
The gas phase acid/base properties of 1,3-dimethyluracil, 1-methyl-2-pyridone, and 1-methyl-4-pyridone: relevance to the mechanism of orotidine-5′-monophosphate decarboxylase, 251
Pyrrolidine
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^{+}, 401

Quadrupole ion trap
Ion trap collisional activation of protonated poly(propylene imine) dendrimers: generations 1–5, 419

Rare earth alkoxides
Gas phase reactivity of rare earth metal cations with trialkylorthoformates: synthesis of neutral rare earth alkoxides, 139
Rare earth metal ions
Gas phase reactivity of rare earth metal cations with trialkylorthoformates: synthesis of neutral rare earth alkoxides, 139
Rate constants
Rate constants and branching ratios for the reactions of various positive ions with naphthalene from 300 to 1400 K, 327
Reaction mechanism
Reaction of radical cations of 1,1-dihaloethenes with ammonia: substitution and base catalyzed tautomerization in sequence, 533

Salen complexes
Coordination chemistry of manganese-salen complexes studied by electrospray tandem mass spectrometry: the significance of axial ligands, 351
Salt-bridge complex
An electrospray ionization flow tube study of the protonated betaine/ammonia complex, 11
Selected-ion flow tube (SIFT)
Gas-phase association reactions of hydroxide, methoxide, ethoxide, and their deuterated analogs, 625
Gas-phase reactions of fullerene cations C_{60}^{x+} (x = 1–3) with pyrrolidine and piperidine: sequential reactions with C_{60}^{+}, 401
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Sialic acid
Fragmentation behavior of multiple-metal-coordinated acidic oligosaccharides studied by matrix-assisted laser desorption ionization Fourier transform mass spectrometry, 259
Singlet/triplet splitting
Small-ring carbenes carrying a positive charge: the effects of substituting by CN in c-$C_4H_3^+$, 393
Sodium chloride
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
SO^+ ion
Gas-phase reactivity of $SO^{+\cdot}$: a selected ion flow tube study, 185
Substituted methyl cations
Ab initio insights into amide bond cleavage reactions of formamide with substituted methyl cations XCH_2^+ (X = OH, F, and Cl), 303
Surface-induced dissociation (SID)
Refining the model for selective cleavage at acidic residues in arginine-containing protonated peptides, 467
Sustained off-resonance irradiation-collision-induced dissociation (SORI-CID)
Internal energy distributions resulting from sustained off-resonance excitation in FTMS. I. Fragmentation of the bromobenzene radical cation, 285

Tandem mass spectrometry
Doubly charged cluster ions $[(NaCl)_m(Na)_2]^{2+}$: magic numbers, dissociation, and structure, 667
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Thermal electron detachment
Effect of buffer gas alterations on the thermal electron attachment and detachment reactions of azulene by pulsed high pressure mass spectrometry, 481
Thermochemistry
Activation of CH_4, C_2H_6, and C_3H_8 by gas-phase Nb^+ and the thermochemistry of Nb-ligand complexes, 149
The temperature dependence of absolute gas phase acidities, 215
Thiosulfide
Thiosulfoxides ($X_2S{=}S$) and disulfanes (XSSX): first observation of organic thiosulfoxides, 239
Time-of-flight mass spectrometry
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55
Time-resolved bimolecular collisions
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55
Transition metal chemistry
Bimolecular ion-molecule collisions in real time: $Co^+(^3F_4)$ + n-butane and isobutane reactions, 55

Transition metal ions
Activation of CH_4, C_2H_6, and C_3H_8 by gas-phase Nb^+ and the thermochemistry of Nb-ligand complexes, 149
Trialkylorthoformates
Gas phase reactivity of rare earth metal cations with trialkylorthoformates: synthesis of neutral rare earth alkoxides, 139
Tripeptide
Gas-phase framentation of di- and tripeptides via ion-molecule reactions with $ClPCl^+$, 609

Unimolecular dissociation
Unimolecular ion dissociation and laser-induced coalescence of hydrogenated fullerenes, 599
Uracil
The gas phase acid/base properties of 1,3-dimethyluracil, 1-methyl-2-pyridone, and 1-methyl-4-pyridone: relevance to the mechanism of orotidine-5′-monophosphate decarboxylase, 251

Variable-time measurements
High-energy [C,H_3,N,O] cation radicals and molecules, 101

Ziegler-Natta
Mass spectrometric assay of polymerization catalysts for combinational screening, 377